

REMOTE HEADS

LED

CATALOG #:

TYPE:


PROJECT:

NOTES:


EXAMPLE

RHL - T - BLK - OPTIONS - MV
SERIES HOUSING HOUSING COLOR OPTIONS VOLTAGE


LED REMOTE HEADS




RHL



DRHL



WETRHL



WETDRHL

ORDERING INFORMATION

SERIES

RHL	Single Remote Head, 8 LEDs
DRHL	Dual Remote Head, 8 LEDs
WETRHL	Wet Location Single Remote Head, 8 LEDs
WETDRHL	Wet Location Dual Remote Head, 8 LEDs

OPTIONS

SDT	For use with self-diagnostic test fixtures
HL	1.5-watt remote head, 12 LEDs

VOLTAGE

MV	For use with 3.6V, 6V, 9.6V, and 12V batteries
-----------	--

HOUSING

T	Thermoplastic
D	Die-cast (not available with RHL and DRHL)

HOUSING COLOR

BLK	Black
GRAY	Gray (not available with RHL and DRHL)
WHT	Industry-standard white (not available with WETRHL and WETDRHL)

FIXTURE COMPATIBILITY

See individual spec sheets for remote load capacity availability.

- EMER/LED
- EMER/MR16
- EMER/WET
- EMER
- EMER/MR16/CP
- EMER/MR16/CP/WET
- EMER/HD
- EMER/NYC
- EXIT/REMOTE
- EXIT/EM/LED
- EXIT/EM


SEE BACK FOR INCANDESCENT REMOTE HEADS




REMOTE HEADS

INCANDESCENT

EXAMPLE **RH - T - BLK - OPTIONS - 6V**
SERIES HOUSING HOUSING COLOR OPTIONS VOLTAGE



RH



DRH

ORDERING INFORMATION

SERIES

RH Single Remote Head, 5.4-watt
DRH Dual Remote Head, 10.8-watt

HOUSING COLOR

BLK Black
WHT Industry-standard white

HOUSING

T Thermoplastic

VOLTAGE


6V For use with 6V batteries
12V For use with 12V batterie

FIXTURE COMPATIBILITY CHART


See individual spec sheets for remote load capacity availability.

MODEL TYPE	6V	12V
EMER/HD	✓	✓
EMER/MR16-RC	✓	
EMER/NYC-12	✓	✓
EMER-RC	✓	
EMER/WET-RC	✓	
EXIT/EM	✓	
EXIT/REMOTE	✓	

EXAMPLE **MR16RH - T - BLK - OPTIONS - 6V**
SERIES HOUSING HOUSING COLOR OPTIONS VOLTAGE



MR16RH



MR16DRH

ORDERING INFORMATION

SERIES

MR16RH MR16 single remote head, 5-watt
MR16DRH MR16 dual remote head, 10-watt

HOUSING COLOR

BLK Black
WHT Industry-standard white

HOUSING

T Thermoplastic

VOLTAGE

6V For use with 6V batteries
12V For use with 12V batterie

FIXTURE COMPATIBILITY CHART

See individual spec sheets for remote load capacity availability.

MODEL TYPE	6V	12V
EMER/MR16-RC	✓	
EMER/NYC	✓	✓
EMER-RC	✓	
EMER/WET-RC	✓	
EMER/HD	✓	✓
EXIT/EM	✓	
EXIT/REMOTE	✓	

REMOTE HEADS

INCANDESCENT


EXAMPLE

WETRH - T - BLK - OPTIONS - 6V

SERIES HOUSING HOUSING COLOR OPTIONS VOLTAGE



WETRH



WETDRH

ORDERING INFORMATION

SERIES

WETRH Wet location single remote head, 7.2-watt
WETDRH Wet location dual remote head, 14.4-watt

HOUSING COLOR

BLK Black
GRAY Gray

HOUSING

T Thermoplastic

VOLTAGE

6V For use with 6V batteries
12V For use with 12V batterie

FIXTURE COMPATIBILITY CHART

See individual spec sheets for remote load capacity availability.

MODEL TYPE	6V	12V
EMER/HD	✓	✓
EMER/NYC	✓	✓
EMER/MR16-RC	✓	
EMER-RC	✓	
EMER/WET-RC	✓	
EXIT/EM	✓	
EXIT/REMOTE	✓	


EXAMPLE

RH/HD - T - BLK - OPTIONS - 6V

SERIES HOUSING HOUSING COLOR OPTIONS VOLTAGE



RH/HD



DRH/HD



RH/HD/12W

ORDERING INFORMATION

SERIES

RH/HD Heavy-duty single remote head, 5.4-watt
DRH/HD Heavy-duty dual remote head, 10.8-watt
RH/HD/12W 12-volt heavy-duty single remote head, 12-watt

HOUSING COLOR

BLK Black
WHT Industry-standard white

HOUSING

T Thermoplastic

VOLTAGE

6V For use with 6V batteries
12V For use with 12V batterie

FIXTURE COMPATIBILITY CHART

See individual spec sheets for remote load capacity availability.

MODEL TYPE	6V	12V
EMER/HD	✓	
EMER/NYC	✓	✓
EMER/MR16-RC	✓	
EMER-RC	✓	
EMER/WET-RC	✓	✓
EXIT/EM	✓	
EXIT/REMOTE	✓	

